


## MEMBER PROFILE

	<b>Prof. Kaishan Song</b>
	Country: <b>China</b>
	Affiliation: <b>Northeast Institute of Geography and Agroecology, Chinese Academy of Sciences</b>

<b>Contact Details</b>	
E-Mail Address:	<a href="mailto:songks@iga.ac.cn">songks@iga.ac.cn</a>
Website	
Tel nr.	86-431-88542364
Fax nr.	86-431-85542298
Physical address	No. 4888, Shengbei Street, High-tech District, Changchun, Jilin Province
Postal address	No. 4888, Shengbei Street, High-tech District, Changchun, Jilin Province
Skype name	

<b>Study areas</b>	
Countries / Regions	China and Central Asia / East, Far-east and Central Asia

<b>Topics of last three projects</b>	
1	Studies on Lake ice bio-optical properties on Northeast China
2	Investigations on bio-optical properties for turbid inland waters across China
3	Remote Sensing of Water Quality for inland waters in China and eutrophication assessment with remotely derived water quality parameters.

	<b><u>Topics of last 10 publications</u></b>	<b><u>Publication links</u></b>
1	Spatiotemporal Variations of Lake Surface Temperature across the Tibetan Plateau Using MODIS LST Product	
2	Remote quantification of phycocyanin in potable water sources through an adaptive model	
3	Using Partial Least Squares-Artificial Neural Network for Inversion of Inland Water Chlorophyll-a	
4	Remote quantification of total suspended matter through empirical approaches for inland waters	
5	Remote estimation of chlorophyll-a in turbid inland waters: Three-band model versus GA-PLS model	
6	Remote estimation of phycocyanin (PC) for inland waters coupled with YSI PC fluorescence probe	
7	Spatiotemporal characterization of dissolved Carbon for inland waters in semi-humid/semiarid region, China	
8	Wetlands shrinkage, fragmentation and their links to agriculture in the Muleng-Xingkai Plain, China	
9	Hyperspectral determination of eutrophication for a water supply source via genetic algorithm-partial least squares (GA-PLS) modelling	
10		

## Research interests in water

<b>Climate &amp; Water</b>	Water in arid areas	Arctic water	Water cycle	Atmospheric water	Glaciers & Cryosphere					
<b>Hydrological extreme events</b>	Floods	Droughts	Ice phenomena							
<b>Water flow</b>	Catchment processes	Run-off generation	Groundwater-Surface water interactions	Hyporheic processes	Interstitial water	Porewater	Alluvial water			
<b>Surface water</b>	Limnology	Fluvial dynamics	Continental scale processes	Dams / Reservoirs	Sediments	Rivers	Floodplains			
<b>Ground water</b>	Soil water	Karst water	Hydrogeology	Recharge						
<b>Marine Environment</b>	Coastal waters	Estuarian waters								
<b>Aquatic habitats/ Ecosystems</b>	Wetlands	Lakes	Peatlands	Rivers						
<b>Water availability</b>	Water utility	Water storage	Dams / Reservoirs	Water scarcity	Supply & Distribution	Water allocation	Water restrictions			
<b>Modelling and GIS</b>	Hydro GIS	Groundwater modelling	Surface water modelling	Remote sensing						
<b>Water quality</b>	Pollution	Purification	Hydrochemistry	Treatment	Desalination	Waste water	Sewage			
<b>Water &amp; Health</b>	Water & Sanitation	Water & Food	Waterborne diseases	Drinking water	Water purification					
<b>Water &amp; Energy</b>	Water-Energy nexus	Water for energy	Energy for water	Water, Food & Energy						
<b>Water management/ policy</b>	Integrated Catchment management	Integrated water resource management	Water loss	Reticulation & Supply	Transboundary water					
<b>Water use</b>	Urban	Agricultural	Mine water	Industrial	Grey water	Green water	Blue water	Return water	Water sustainability	Competing water use
<b>Water Law &amp; Economics</b>	Water trade	Virtual water	Privatisation	Water as public good	Right to water	Bills & Laws	Affordability			
<b>Socio-political aspects</b>	Water history	Water wars	Water & Poverty	Access to water						